

## BIG TENT OCTAGONAL 1.500 - 2.000 CM





### TECHNICAL DATA



#### STANDARD VERSION

Span	1.500 cm	1.500 cm	2.000 cm	2.000 cm	2.000 cm
Side height	240 cm	300 cm	240 cm	300 cm	400 cm
Side length	574 cm	574 cm	765 cm	765 cm	765 cm
Ridge height	480 cm	540 cm	565 cm	625 cm	725 cm
Roof pitch	18°	18°	18°	18°	18°
Main profile	220 x 100 x 3 mm	220 x 100 x 3 mm	220 x 100 x 3/4 mm	220 x 100 x 3/4 mm	220 x 100 x 4 mm
Covered area	159 m <sup>2</sup>	159 m <sup>2</sup>	282,8 m <sup>2</sup>	282,8 m <sup>2</sup>	282,8 m <sup>2</sup>
Max. wind speed according to EN	100 km/h				
Flooring	· Cassette flooring · Heavy duty floor				
Tarpaulin	RÖDER No. 1, PVDF-coated tarpaulin, according to DIN 18204				



### BIG TENT OCTAGONAL 1.500/240/480 & 1.500/300/540



### BIG TENT OCTAGONAL 2.000/240/565 & 2.000/300/625



### BIG TENT OCTAGONAL 2.000/400/725



#### QUESTIONS AND COMMENTS

We have summarized the most important data and dimensions of our standard constructions for you. All information is without guarantee. No liability is assumed for printing and spelling errors. We would be happy to advise you personally about the optimal construction for your needs. Your Röder team is at your disposal to answer any questions you may have about intermediates, special features, conversions and other technical data.